

Level up your game

COLORADO M-SERIES



DATASHEET

Are you ready for the next level in productivity and creativity? The Colorado M-series was designed to allow you to say 'yes' to more jobs, create stunning applications and reduce turnaround times. It's modular architecture allows it to grow with your business, and is designed for low cost of ownership.

- **The power of UVgel.** Our unique UVgel technology creates robust, fade and scratch-resistant prints with excellent print quality.
- **White ink without worry.** Developed for the Colorado M-series, our UVgel ink set now brings you a next-level white ink that reduces the hassles associated with white ink. The white ink option can be ordered with the printer or added as a hardware upgrade later by a trained service provider.
- **FLXfinish+.** A game-changer in large-format graphics. Print matte, gloss or mixed matte and gloss in one print, without varnish or an additional printhead. The FLXfinish+ option helps your production stand out from the competition.
- **Impressive media range.** More design freedom to impress your customers. Easily print textured, transparent, colored, reflective, and heat-sensitive media, plus many more! You can even upgrade the M-series to print on magnetic media with a hardware upgrade.
- **Upgradeable.** Is your business changing course or growing quickly? Easily add speed, FLXfinish+, dual roll capabilities and many other new functionalities to your Colorado M-series printer via a simple license.
- **Rock-solid quality.** The Colorado family is built for high uptime and consistent print output.
- **Level up your Colorado into a Factory.** Add a jumbo roll bulk feed system and matching finishing modules for high throughput and overnight jobs.

COLORADO M-SERIES



PRINTING	COLORADO M3 BASE	COLORADO M3W BASE	COLORADO M3 PRO	COLORADO M3W PRO	COLORADO M5 PRO	COLORADO M5W PRO	UVGEL WALLPAPER FACTORY	UVGEL PRINT FACTORY
Printing method	UVgel piezoelectric inkjet							
White	○	●	○	●	○	●	○	○
Printing modes: gloss	●				●			
High Key	1,195 ft ² /hr				1,709 ft ² /hr			
Express	840 ft ² /hr				1,229 ft ² /hr			
Speed	592 ft ² /hr				861 ft ² /hr			
Production	420 ft ² /hr				610 ft ² /hr			
High Quality	312 ft ² /hr				427 ft ² /hr			
Premium	237 ft ² /hr				290 ft ² /hr			
Specialty	215 ft ² /hr				222 ft ² /hr			
Printing modes: matte	○	○	●	●	●	●	○	○
Express	388 ft ² /hr				495 ft ² /hr			
Speed	291 ft ² /hr				409 ft ² /hr			
Production	237 ft ² /hr				333 ft ² /hr			
High Quality	194 ft ² /hr				290 ft ² /hr			
Specialty	140 ft ² /hr				215 ft ² /hr			
Backlit	194 ft ² /hr				215 ft ² /hr			
Backlit Density	108 ft ² /hr				108 ft ² /hr			
Printing mode: mixed matte/gloss	○	○	●	●	●	●	○	○
FLXfinish+	75 ft ² /hr				75 ft ² /hr			
Printing modes: spot white 1 layer	○	●	○	●	○	●	○	○
Express	291 ft ² /hr				388 ft ² /hr			
Speed	237 ft ² /hr				323 ft ² /hr			
Production	194 ft ² /hr				258 ft ² /hr			
High Quality	140 ft ² /hr				194 ft ² /hr			
Specialty	129 ft ² /hr				129 ft ² /hr			
Printing modes: white underflood/overflood 2 layers	○	●	○	●	○	●	○	○
Speed	215 ft ² /hr				215 ft ² /hr			
Production	151 ft ² /hr				151 ft ² /hr			
High Quality	108 ft ² /hr				108 ft ² /hr			
Specialty	75 ft ² /hr				75 ft ² /hr			
Printing modes: white 3 layers	○	●	○	●	○	●	○	○
High Quality	75 ft ² /hr				75 ft ² /hr			
Specialty	54 ft ² /hr				54 ft ² /hr			
Printing modes: white 5 layers	○	●	○	●	○	●	○	○
High Quality	43 ft ² /hr				43 ft ² /hr			
Specialty	32 ft ² /hr				32 ft ² /hr			
Print resolution	Up to 1,800 dpi							
Ink types	Canon UVgel 460 ink							
Ink color	CMYK	CMYKW	CMYK	CMYKW	CMYK	CMYKW	CMYK or CMYKW	CMYK or CMYKW
Ink packaging								
1 x 700ml ink bottle	●				●			
2 x 1 liter ink bottle	-				●			
Ink reservoir per ink color	1.8 liter				2.1 liter			
Refill while printing					●			
Printhead								
UVgel 425	4	5	4	5	4	5	4 or 5	4 or 5
High frequency drop-on-demand piezo-electric printhead					●			
PAINT (Piezo Acoustic Integrated Nozzle Technology)					●			
Automatic maintenance					●			
Curing	UV LED							

Technical specifications



MEDIA	COLORADO M3 BASE	COLORADO M3W BASE	COLORADO M3 PRO	COLORADO M3W PRO	COLORADO M5 PRO	COLORADO M5W PRO	UVGEL WALLPAPER FACTORY	UVGEL PRINT FACTORY
Roll width	Up to 64" (1,625 mm)							
Print margin	0.21" (5.3 mm) ¹							
Roll weight	Up to 110 lbs. (50 kg)							
Roll diameter	Up to 8.7" (220 mm)							
Media thickness	Up to 0.03" (0.8 mm)							
Media input								
Print side out	○	○	●	●	●	●	○	○
Print side in/Double-sided printing	○	○	●	●	●	●	○	○
1 roll	●	●	●	●	●	●	○	○
2 rolls (automatic roll-feeding and -switching depending on media)	○	○	●	●	●	●	○	○
Jumbo roll interface	-	-	○	○	○	○	●	●
UVgel Technology								
Instant pinning and dot gain control	●							
Low temperature curing - suitable for thin and heat-sensitive media	●							
Scratch resistance	●							
Easy lamination, smooth ink film	●							
High precision color consistency	●							
Odorless and instant dry prints	●							
FLXfinish*	○	○	●	●	●	●	○	○
CERTIFICATIONS								
Environmental and safe use	GREENGUARD Gold							
SOFTWARE								
RIP Compatibility ²	ONYX Graphics, Caldera, EFI, PrintFactory, ColorGATE, ErgoSoft, Shiraz, AGFA, SAI							
PRISMAguide XL	○							
PRISMA remote app	●							
PRISMAservice	●							
EXTERNAL MODULES								
Jumbo Roll Loader	-	-	-	-	-	-	●	●
X/Y Cutter	-	-	-	-	-	-	●	-
Rewinder	-	-	-	-	-	-	○	-
Jumbo Roll Rewinder	-	-	-	-	-	-	-	●

¹ Margin 0.43 mm when Media Step Control enabled - Specifications subject to change without notice.

² Contact RIP manufacturer for required version

● Standard ○ Optional - Not available

Canon